



"link test pulse"

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)**Scholar**Results 1 - 9 of 9 for "["link test pulse"](#)". (0.12 seconds)

Tip: Try removing quotes from your search to get more results.

["Fast Ethernet "gets plug-and-play](#)I Crayford - ... Communications Technology Producing Quality Products Mobile ... , 1995 - [ieeexplore.ieee.org](#)... If the receiver of a 10BASE-T device does not see either packet data, or a **link test pulse** within a defined time window (16ms ±8ms) it will enter a 'link ...[Web Search](#) - [BL Direct](#)**[Revisions to ISO/IEC 8802-3: 1993 \[ANSI/IEEE Std 802.3, 1993 Edition\]](#)**H LAYERS, D LINK - [ieeexplore.ieee.org](#)Page 1 LAN CSMA/CD LAYERS HIGHER LAYERS APPLICATION PRESENTATION
SESSION TRANSPORT

NETWORK DATA LINK PHYSICAL , LLC—LOGICAL LINK CONTROL I,, f # JI MAC ...

[Web Search](#)**[Type 10BaseT MAU Conformance Test Methodology \(Section 6\)](#)**TOC View - IEEE Std 1802.3 d-1993, 1994 - [ieeexplore.ieee.org](#)... 89.6.3.4.3 **Link Test Pulse** Generator (LTPG).... 89.6.3.4.4 Arbitrary Waveform
Generator ...[Web Search](#)**[System Considerations for Multisegment 10 Mb/s Baseband Networks \(Section 13\) Twisted-Pair Medium ...](#)**CDCA Method, PL Specifications - [ieeexplore.ieee.org](#)... 39 Fig 14-10 Transmitter Waveform for Start of TP_IDL 41 Fig 14-11 Start-of-TP_IDL
Test Load 41 Fig 14-12 Transmitter Waveform for **Link Test Pulse** 42 Fig 14-13 ...[Web Search](#)**[IEEE conformance test methodology for ieee standards for local and
metropolitan area networks- ...](#)**TOC View - IEEE Std 1802.3-2001, 2001 - [ieeexplore.ieee.org](#)... Electrotechnical Commission ISO International Organization for Standardization IUT
implementation under test kHz kilohertz LTPG **link test pulse** generator MAC ...[Web Search](#)**[\[PS\] DO NOT SPECIFY OR CLAIM CONFORMANCE TO THIS DOCUMENT](#)**PL SPECIFICATIONS - [se.kde.org](#)... 83.6.3.4.3 **Link Test Pulse** Generator (LTPG).... 83.6.3.4.4 Arbitrary Waveform ...[View as HTML](#) - [Web Search](#)**[\[BOOK\] Home Networking Basis: Transmission Environments and Wired/Wireless](#)**

Protocols

WY Chen - 2003 - books.google.com

... 251 Performance Estimation for IOOBa... 260 6.6 Autonegotiation 267 **Link Test Pulse**

268 Fast Link Pulse 269 6.7 Media Independent Interface 273 Data Interface ...

Cited by 6 - Web Search - Library Search

[BOOK] The Froehlich/Kent Encyclopedia of Telecommunications: Volume 9- IEEE 802.3 and Ethernet Standards ...

FE Froehlich - 1994 - books.google.com

Page 1. The Froehlich/Kent ENCYCLOPEDIA OF TELECOMMUNICATIONS VOLUME 9

ñiiiiFiiiiiiiiii G260-RQZ-91BP Page 2. The Froehlich/Kent ENCYCLOPEDIA OF ...

Web Search

Managing Xplex Repeaters and Concentrators

I Xplex - techweb.circlecity.net

Page 1. Managing Xplex Repeaters and Concentrators Xplex Repeater Management Software, Version 4.0 August, 1993 Xplex, Incorporated ...

View as HTML - Web Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



"link pulse"

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 117 for "link pulse". (0.13 seconds)

Novel soft switching PWM converter using a new parallel resonantDC-link

[All articles](#) [Recent articles](#)

JG Cho, HS Kim, GH Cho - Power Electronics Specialists Conference, 1991. PESC'91 ..., 1991 - ieeexplore.ieee.org

... The new PRDCL provides variable **link pulse** position as well as variable **link pulse** width, which is quite different feature from the other resonant dc-links and ...

[Cited by 25](#) - Web Search

Program-controlled soft switching PRDCL inverter with new spacevector PWM algorithm - group of 2 »

WYi, HL Liu, YC Jung, JG Cho, GH Cho - Power Electronics Specialists Conference, 1992. PESC'92 ... - ieeexplore.ieee.org

... space vector PWM inverter is developed using new parallel resonant dc-link (PRDCL) [7,8]. This PRDCL can operate on variable **dc-link pulse** position and width ...

[Cited by 6](#) - Web Search - BL Direct

Soft switching space vector PWM inverter using a new quasi-parallel resonant DC link - group of 4 »

YC Jung, HL Liu, GC Cho, GH Cho - Power Electronics Specialists Conference, 1995. PESC'95 ..., 1995 - ieeexplore.ieee.org

... The freewheeling duration is controllable and thus the **link pulse** position can be located at any position which is given by PWM controller. ...

[Cited by 23](#) - Web Search - BL Direct

Distributed program checking: a paradigm for buildingself-stabilizing distributed protocols

B Awerbuch, G Varghese - Foundations of Computer Science, 1991. Proceedings., 32nd ..., 1991 - ieeexplore.ieee.org

Page 1 Baruch Awerbuch5 George Vargheset Laboratory for Computer Science Massachusetts

Institute of Technology Cambridge, MA 02139 258 Distributed Program ...

[Cited by 71](#) - Web Search

Quasi-parallel resonant DC link inverter with improved PWM capability - group of 3 »

YC Jung, GH Cho - Electronics Letters, 1994 - ieeexplore.ieee.org

... Other types of soft switching PWM inverter have been suggested, which use a parallel resonant DC-link (PRDCL) which provides variable **DC-link pulse** width [2, 31 ...

[Cited by 3](#) - Web Search - BL Direct

Effects of self-phase modulation on sub-500 fs pulse transmission over

dispersion compensated fiber ... - group of 8 »

S Shen, CC Chang, HP Sardesai, V Binjrajka, AM ... - Lightwave Technology, Journal of, 1999 - ieeexplore.ieee.org

... **Pulse** energies up to tens of pJ, consistent with high quality communication, should be possible for a sub-500 fs pulse in such dispersion compensated links. ...

Cited by 15 - Web Search - BL Direct

A novel soft-switched PWM inverter for AC motor drives - group of 3 »

S Chen, TA Lipo - Power Electronics, IEEE Transactions on, 1996 - ieeexplore.ieee.org

Page 1 Fig. 2. Resonant link waveforms. IEEE TRANSACTIONS ON POWER ELECTRONICS,

VOL. 11, NO. 4, JULY 1996 653 0885—8993/96\$05.00 ...

Cited by 22 - Web Search - BL Direct

[CITATION] This bit is for 10BASE-T mode only

LSELPS Enable - When set, the link pulse generator is enabled

Cited by 1 - Web Search

Status of the techniques of three-phase rectifier systems with low effects on the mains

JW Kolar, H Ertl - Telecommunications Energy Conference, 1999. INTELEC'99. The ..., 1999 - ieeexplore.ieee.org

... Due to the much broader application of pulse rectifier systems with impressed output voltage (voltage DC link pulse rectifier systems) as compared to current ...

Cited by 22 - Web Search - BL Direct

Advanced ZVS-PWM three-phase AC-DC active power converter with new high-frequency transformer- ...

Y Katsutosi, Y Hideo, N Mutsuo - Telecommunications Energy Conference, 1993.

INTELEC'93. 15th ..., 1993 - ieeexplore.ieee.org

Page 1 ADVANCED ZVS-PWM THREE-PHASE AC-DC ACTIVE POWER CONVERTER WITH NEW

HIGH-FREQUENCY TRANSFORMER-ASSISTED QUASI-RESONANT DC LINK AND ITS IMPLEMENTATION ...

Cited by 2 - Web Search

ooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

"link pulse"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



"link pulse" network access

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 52 for **"link pulse" network access**. (0.12 seconds)

[Quasi-parallel resonant DC link inverter with improved PWM capability](#) - group of 3 »

YC Jung, GH Cho - Electronics Letters, 1994 - ieeexplore.ieee.org

... is controllable and thus the **link pulse** position can ... of providing absolute prioritised **access** and may ... load cur- rently awaiting transmission over the **network**. ...

[Cited by 3](#) - [Web Search](#) - [BL Direct](#)

[Implementing high-speed physical interfaces and Internet protocols in software](#)

A ALEF - eetasia.com

... The **link pulse** width is checked by the ... is optimized for Internet and **network** connectivity solutions ... Communication Interface IAD - Internet **Access** Device ICMP ...

[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

[OptiView Integrated Network Analyzer Help](#) - group of 4 »

G Started, N Troubleshooting, R Me - flukenetworks.com

... 66 **Network** Neighborhood ... 72 Remote **Access** Configuration

Issues for the OptiView Analyzer

[View as HTML](#) - [Web Search](#)

[\[PS\] Isochronous Ethernet EE 535](#)

JP Kaps - dcs.gla.ac.uk

... done using the Auto- Negotiation **link pulse** signalling scheme. ... which specifies the ISDN User Network Interface (UNI) ... are provided by the Link **Access** Protocol on ...

[View as HTML](#) - [Web Search](#)

[10 Mb/s twisted pair CMOS transceiver with transmit waveform pre-equalization](#)

C Shih, J Heideman, H Shafir, S Wurster, LO Commun ... - Custom Integrated Circuits

Conference, 1991., Proceedings of ..., 1991 - ieeexplore.ieee.org

... CMOS 10MB/S transceiver as the Media **Access** Unit (MAU) ... The Ethernet **network** has a tight jitter budget to ensure ... the line with the IOBase-T **link pulse** template Fig ...

[Web Search](#)

[Revisions to ISO/IEC 8802-3: 1993 \[ANSI/IEEE Std 802.3, 1993 Edition\]](#)

H LAYERS, D LINK - ieeexplore.ieee.org

... CD LAYERS HIGHER LAYERS APPLICATION PRESENTATION SESSION TRANSPORT **NETWORK** DATA

LINK ... Area Networks: Supplement to Carrier Sense Multiple **Access** with Collision ...

[Web Search](#)

[The Development of a Portable Network \(IPX\) Diagnostic Tool](#)

A Ball - thesis.ece.curtin.edu.au

... LAN - Local Area Network LCD - Liquid Crystal Display LED - Light Emitting

Diode LLC - Logical Link Control MAC - Medium **Access** Control ...

[View as HTML](#) · [Web Search](#)

... mechanism for smooth handoffs in an integrated ad-hoc and cellular IPv6 **network** under high-speed ... - group of 2 »

HC Chao, CY Huang - Vehicular Technology, IEEE Transactions on, 2003 - [ieeexplore.ieee.org](#)

... the incoming binding-update packet are media-**access** control (MAC ... integrated ad-hoc and cellular **network**, the NAA ... a pilot signal that is a **link pulse** or beacon ...

[Cited by 6](#) · [Web Search](#) · [BL Direct](#)

BALANCE-a European field trial

UK TCSU - Road Transport Information and Control, 1998. 9th ..., 1998 - [ieeexplore.ieee.org](#)

... also is capable of linking in to **access** control systems ... By varying the rate of the **link pulse** the overall ... level is called the tactical or **network** level control ...

[Web Search](#)

OptiView Workgroup Analyzer Help for UI Version 3. xx 10/03

G Started, N Troubleshooting, R Me - [flukenetworks.com](#)

... 57 Controlling **Access** to Packet Capture and Traffic

Generation ... 59 **NETWORK TROUBLESHOOTING**....60 ...

[View as HTML](#) · [Web Search](#)

Gooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

["link pulse" network access](#)

[Google Home](#) · [About Google](#) · [About Google Scholar](#)

©2006 Google